PRODUCT INFORMATION

ITEM NUMBER(S)


SZ-2000

ITEM DESCRIPTION CORDLESS VACUUM CLEANER

The unequivocal identification of the product (type of product, trademark, trade name, model and possibly serial number


DECLARATION OF IDENTITY :NO.39 ZHONG ' AN ROAD,LINHU TOWN,WUZHONG declares that the following items are identical: Supplier item number : XL-618C Tristar item number : SZ-2000 Item description : VACUUM CLEANER Brand name : TRISTAR mpany chop, Barrel

A dissasembly map or exploded view




1	尘杯差装饰片	Dust cup cover decorative sheet	ABS	18	电池按钮	Battery button	ABS
2	出风罩	outlet hood	ABS	19	电池上盖	cell cover	ABS
3	出风海绵	outlet sponge	IDI	20	电池包组件	The battery pack assembly	7
4	电机固定罩	Motor fixing cover	PP	21	电池下盖	Battery cover	ABS
5	电机压座	Motor seat	NR+SBR	22	DC⊈	DC head	7
6	电源指示窗	The power indicator window	ABS	23	尘杯底盖	Dust cup bottom cover	ABS
7.	电机	Motor	7	24	尘杯底盖密封圆	Dust cup bottom cover sealing ring	TPE
8	开关线路板	Switch board	1	25	过滤罩	Filter cover	ABS
9	电机图	Motor cycle	NR+SER	26	海伯	HEPA	1
10	手柄並板	Handle cover	ABS	27	机身装饰片	decorative film	ABS
11	开关按钮	switching push-button	ABS	28	尘杯	Dust Cup	ABS
12	开关按钮弹簧	Switch button spring	1	29	尘杯底盖按钮弹簧	Dust cup bottom cover	7
13	右机壳	Right body	ABS	30	尘杯账盖按钮	Dust cup bottom cover	ABS
14	开关	Switch	PA6	31	机身导电针架	The conductive	ABS
15	左机壳	Left body	ABS	32	机身等电针	Body conductive	Copper
16	电池触片板	The battery contact plate	ABS	33	针架盖板	Rack cover plate	ABS
17	电池触片架	Battery contact piece frame	ABS	34	指灰橡皮	Dust shield	TPE
				35	风道座	Air inlet	ABS


1.1.C Wiring and connection diagrams



1.1.D Electronic boards diagram







1.1.E	List of necessary repair and test equipment
	NOT APPLICABLE
1.1.F	Technical manual of instructions for repair
	NOT APPLICABLE
1.1.G	Diagnostic fault and error codes
	NOT APPLICABLE
1.1.H	Component and diagnosis information
	NOT APPLICABLE
	Instructions for software and firmware
1.1.I	(including reset software)
	NOT APPLICABLE
	Information on how to access data recoreds of reported failur incidents stored on the
1.1.J	product
	NOT APPLICABLE
1.1.K	Technical bulletins

	Model no.产品型号	XL-618C无刷 XL-618C BLDC MOTOR						
一、整机性	能/功能 overall performance a			二、电池	battery			
额定工作电压Rated operating voltage		29. 6V		电池规格	电芯品牌及规格 cell brand and specificatio	三杰 18650 BC sunpower 18650		
额定功率 Rated power		150W		battery	电池电压、节数 cell voltage and number	3.7V 8节 8pcs		
真空度	高档 high speed	≥18Kpa		specifi	电池容量battery pack capacity	2500mAh		
Vacuum	低档 low speed	≥9Kpa		Cations	电池寿命battery pack life	300个循环 300 loop		
具音 noise		78db 三、附		三、附件	‡ parts			
工作时间	高档high speed	≥25mins		3	滚刷 roller brush	/		
working time	低档1ow speed	≥45mins			刀片刷cleaning brush	/		
充电时间 charging time		5. 5h			挂架 wall bracket	yes		
	电机品牌 motor brand	永捷yongjie		抽刷	地刷种类 kind of floor brush	电动地刷 motorized floor brush		
	电机型号motor no	BL55601NF 500h			地刷额定电压rated voltage	29. 6V		
	电机寿命motor life				地則额定功率rated power	15W		
主电机	额定电压Rated voltage	29. 6V			地刷空转电流 brush ldling current	/		
main motor	额定功率rated power	150W		brush				
	实际功率real power	140-160WW	4.4		滚刷是否可拆卸 if the roller brush can be disassemble	是yes		
	额定转速rpm	70000rmp .	H		地刷照明if the brush have the light	是yes		
	电机温保 motor temperature contro	/ -	14	100	电机型号motor number	HLRS385PA-15146		
	额定輸入电压 rated imput voltage	100-240V)0-240V		电机寿命 motor life	150h		
	輸入頻率imput frequency	50-60HZ		r of th	额定电压rated voltage	29. 6V		
适配器	额定輸入电流rated imput current	0. 3MAX /0. 6MAX	AX	r or th	额定功率rated power	15W		
adapter	额定輸出电压 rated output voltage	COLUMN TO THE PERSON OF THE PE			转速 motor speed	9500rmp		
	额定輸出电流rated output current				电机过流保护motor overcurrent protection	有YES		
	线长 length of cord	1.5m			V(
集尘方式 kind of dust collectio	旋风过滤层数cyclone filter layers	4层 4 LAYERS		其它附位	\$ other parts	2 in 1 nozzle		
	旋风各层过滤方式 kind of cyclone filter each layers	HEPA		四、包装运输 packing and transportation				
集尘方式 kind of dust collection	旋风过滤层数cyclone filter layers	4层 4 LAYERS		其它附件 other parts		2 in 1 nozzle		
	旋风各层过滤方式 kind of cyclone filter each layers	HBPA		四、包装运输 packing and transportation				
	集尘容积 dust container volume 0.5L			包装类别	kind of the packing	gift box and outer carto		
≟满指示 du	st full indication	1		A # F .	彩箱尺寸size of the gift box	27.5 X 14.5 X 70 CM		
电量显示 power indication		有YES		包装尺寸:	外箱尺寸size of outer carton	45.5*28.5*71 CM		
E机照明 main engine light		无none			20呎柜 20GP	930		
				v for lo	40呎柜40GP	1968		
					40呎高柜40HQ	2250		

Specific guidance for self-repair (recommended operations, safety and repair

instruction, any implications for the guarantee)

NOT APPLICABLE

1.1.M How to get access to professional repairers

NOT APPLICABLE

Failures detection and required action (consumers approach) 1.1.N

NOT APPLICABLE

User and maintencance instructions





5Z-2000



VARNING - MUST READ

4

tair è nettoryage ou ferrieteien de l'apparel.

Les enfatts no folient pas plus en entre l' Cet apparell pout être utilisé par des enfants de Cet apparell pout être utilisé par des enfants de San ou plus et des personnes préventent un handicag physique, sensolet ou mental voir le supérimen dessaites en cas de surveillance ou d'instructions sur l'usage de cet apparell en ou d'instructions sur l'usage de cet apparell en out eschut et de compréhensoir des fingues avoir l'appareit. Le nettoryage et la mantérienance utilisation en doiver pas de l'occités à des enfaires arts gurettiernes. Sièque d'étantiment I Gardez le matériel de d'entre l'appareit le cordon et la fiche à distance de l'eau ou d'autres l'appareit des enfaires de l'appareit le cordon et la fiche à distance de l'eau ou d'autres l'appareit est l'entre l'appareit le cordon et la fiche à distance de l'eau ou d'autres l'appareit est l'entre l'appareit le cordon et la foreit fout titule action, se cortine si l'appareit per de main moultées ou humides.



嬲

Tooms with ligh humidity or on hot surface.

The count is defined to the country of the country

 $\overline{+}$

The property of the property o

\$Z-2000-2-1 21.11.03

TRISTAR





WARNING - MUST READ

The state of the s

Ŧ

менен не на штом учис сејет учиса закрата, кона перенда мом жела инсе изкоматура сти мета изихностја на конама перенда остана изихната и м изихната закона повети изихната и на предостана и метот и повети и по





termentos e critiques eterrecos. U cateo de alimentação laterbiem does ficar longe do aduração de tambiém does ficar longe do aduração de travela de la casa de la ca

bits a student in transporter a terms of control for the contr

1

yes come, family for the six and agreed or common the company of t

Æ

F 4

4

SZ-2000-3-1 21.11.03

TRISTAR



SZ-2000



WARNING - MUST READ

- Texto societée às a mine poul self des ne specifiques de la consideration de la cons

cocidos andiporechia as leich bespecificari dischool consideration production a prisidarity of his consideration of the consideration o

**Kod or subsidiation required by those at subsidiation for the control of the co

Learning and the control of the cont Activation on python appearance on the control of t



*** A suppositive y sector perconnerly , abodo ast spaced.

**Zalabdorine college opcomer is invalidation formular and the college opcomer is invalidation of the college opcomer in th