### **PRODUCT INFORMATION**

**ITEM NUMBER(S)** 

**ITEM DESCRIPTION** 

1.1.A

The unequivocal identification of the product (type of product, trademark, trade name, model and possibly serial number

# \*\*\*\* TRISTAR

EAC

Vacuum cleaner 220-240V~ 50/60Hz 800W

Model No.: SZ-3174


Batch No.: T30508




Do not immerse in any liquid / Niet in water onderdompelen Ne pas plonger dans l'eau / Nicht ins Wasser hineintauchen

# **Tristar Europe B.V.** Swaardvenstraat 65 5048 AV Tilburg | The Netherlands | www.tristar.eu


# 1.1.B A dissasembly map or exploded view





- 男	杯盖-进风密封圈 进风密封圈 主吸管 名 称	1 1 1 数量	橡胶 PVC PP 材料	inlet seal of dust cup cover inlet seal connector 推進
	进风密封圈	1	PVC	inlet seal
		+ +		
	The second secon		IA al	2-1-1 1 - 1 - 1 - 1
	杯盖-出风密封圈	1	橡胶	outlet seal of dust cup cove
	<b>全杯盖</b>	1	A SAN DESCRIPTION	dust cup cover
		1		hepa
		4	ABS	dust cup lock
	(1000000000000000000000000000000000000	1	碳素弹簧钢	spring of dust cup lock
	100000000000000000000000000000000000000	1	ABS	bottom of dust cup lock
		32 0		dust cup
	10000 00 11 00 1 10 N	1		universal wheel
	100 00 000		橡胶	tront ring ot motor
		1	16-1	motor
	34.000.00000000000000000000000000000000	· Comme	橡胶	rear ring of motor
				outlet sponge
		2007-20		rear wheel
		38	ABS	up handle
		282 29		low handle
		- 25	330000000	up cover
			12000, 1000 2000	airlet cover
		10.0		seal of air outlet
				air outlet
		3	1.01000	middle cover
	2004 0 0 0 0			on/ott spare part
	开关按钮弹簧	1	碳素弹簧钢	spring of on/off button
	开关	1	46.45 0.581 -2	on/off switch
	电机罩	1	玻纤增强PP	motor cover
	底座	1	PP	bottom base
		1	PVC	outlet sleeve
		开关 开关理价件 中风避避量 风湿 超量 风湿 超量 人 进手手 轮 海	底座     1       电机罩     1       开关     1       开关     1       开关     1       开关     1       大極     1       风道     1       风道     1       风道     1       风道     1       上蓋     1       提手下     1       大學     2       电机     1       电机     1       电机     1       电机     1       中机     1       全杯     1	底座     1     PP       电机罩     1     玻纤增强PP       开关     1     玻纤增强PP       开关     1     安康 學養領       开关小件     1     ABS       风道     1     ABS       风道密封圈     1     发泡橡胶       风道密封圈     1     ABS       上盖     1     ABS       上盖     1     ABS       提手下     1     ABS       世机尾扫圈     1     橡胶       中机尾扫圈     1     橡胶       万向轮组件     1     接明ABS       全杯和底     1     ABS       全杯和定     1     ABS       全杯和     1     ABS       海柏组件     1     ABS       海柏组件     1     ABS

1.1.C Wiring and connection diagrams



1.1.D	Electronic boards diagrams
1.1.E	List of necessary repair and test equipment
1.1.F	Technical manual of instructions for repair
1.1.G	Diagnostic fault and error codes
1.1.H	Component and diagnosis information
	Instructions for software and firmware
1.1.I	(including reset software)
1.1.J	Information on how to access data recoreds of reported failur incidents stored on the product
1.1.K	Technical bulletins
1.1.L	Specific guidance for self-repair (recommended operations, safety and repair instruction, any implications for the guarantee)
1.1.M	How to get access to professional repairers
1.1.N	Failures detection and required action (consumers approach)

Fault	Possible causes	Methods of resolution	
	1. No power is plugged in.	1. Plug in the power and turn on the switch.	
	2. The switch is not in the	2. Press the switch button.	
The machine does not operate	"ON" position.	3. Check the fuse or circuit	
	3. The socket has no power.	breaker.	
	170 Value 1	4. Check the dust cup and allow	
	4. The motor overheats and the	the motor to cool naturally for 2	
ž	thermal protection starts.	hours, then turn on the switch. "	
	1. The dust cup is full or	1. Clean the dust cup or check	
The suction of the vacuum	blocked.	the exhaust device.	
cleaner is not enough	2. The hose is damaged.	2. Replace the hose.	
	3. The hose is poorly	3. Reinstall the hose.	
	connected.	Briefe to de de manufactura de la compacta del la compacta de la compacta del la compacta de la	
	4. The suction nozzle is	4. Check the exhaust hole of	
	blocked.	suction nozzle.	

## **1.1.0**

# **User and maintencance instructions**

#### **IMPORTANT**

- 1. To ensure safe and correct use of your product, do not operate without first reading this operation manual thoroughly.
- 2. To avoid shortening the life span or damaging your product, do not use the machine with part or accessories not recommended by this manual. Use only original spare parts or accessories.
- 3. Do not allow children or unsuitable persons to operate the system.
- 4. Ensure that the vacuum cleaner is placed on a flat surface when in operation.
- 5. Do not touch the main plug with wet hands. Do not operate the machine with wet hands. Do not operate the machine in an excessively wet environment.
- 6. Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair and anything that may reduce airflow.
- 7. Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- 8. Do not use the machine for vacuuming hot or burning objects including ash.
- 9. Turn off the control before unplugging
- 10. Do not use the machine for vacuuming any type of chemicals, acids or solvents. This will damage the machine.
- 11. Do not use the product near explosive materials, inflammable liquids or any type of gas. Such usage can cause fire or explosions.
- 12. Keep end of hose, wands and other openings away from your face and body
- 13. Do not use for any purpose other than described in this user's guide.
- 14. Using improper voltage may result in damage to the motor and possible injury to the user. correct voltage is listed on the rating label.
- 15. Do not disconnect the AC plug from the main outlet roughly. Never remove the AC plug by pulling the cord; always pull out the plug by holding the plug itself.
- 16. Do not connect or disconnect the AC plug from the main outlet with wet hands. This may result in an electrical shock.
- 17. Always switch-off your machine and disconnect the AC plug from the main outlet when the appliance is not in use.
- 18. Do not use your machine if the AC cord or plug is damaged.
- 19. If the cleaner is damages, it must be repaired by the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.
- 20. This appliance is not intended for use by children or other persons without assistance or supervision, if their physical, sensory or mental capabilities prevent them from using it safely.

  Children should be supervised to ensure that they do not play with the appliance.
- 21. If the supply cord is damaged, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.
- 22. The vacuum cleaner must not be left unattended while it is connected the supply mains.
- 23. This vacuum cleaner is for household use only
- 24. The plug must be removed from the socket-outlet before cleaning or maintaining the vacuum cleaner.

