

Report No.: MDI4QQ6U204107A16

MSDS Report

Sample Description

& Model

OMASA DRY BATTERY R03P AAA

Applicant

JIANGMEN MONEX BATTERY CO, LTD.

Address

JIAOTOU INDUSTRIAL JIANGHAI AREA JIANGMEN CITY GUANGDONG PROVINCE CHINA

No.: MDI4QQ6U20410716

Code: onxgcfc



www.ponytest.com

CHotline 400-819-5688

北京实验室: (010) 82618116 长春实验室: (0431) 85150908 上海实验室: (021) 64851999 深圳实验室: (0755) 26050909 青岛实验室: (0532)88706866 大连实验室: (0411)84650820 宁波实验室: (0574)87736499 广州实验室: (020)89224310 天津实验室: (022)27360730 郑州实验室: (0371)69350670 杭州实验室: (0571)87219096 武汉实验室: (027)83997127





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 1 of 10

Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.6 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical product identification

Sample Description: OMASA DRY BATTERY

Sample Model: R03P AAA Recommended Uses: N/A Restrictions on use: N/A

Supplier name: JIANGMEN MONEX BATTERY CO, LTD.

Address: JIAOTOU INDUSTRIAL JIANGHAI AREA JIANGMEN CITY GUANGDONG

PROVINCE CHINA

Phone number: 0750-3827752

FAX: 0750-3827761 E-mail: mls68@163.com

Emergency phone number: 0750-3827752

Section 2 - Hazards Identification

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

CAS# 1313-13-9

Classification according to GHS

Specific target organ toxicity, repeated exposure (1) (respiratory system, nervous system, cardiovascular system)

Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system,





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 2 of 10

nervous system, cardiovascular system)

Precautionary statement(s):

Prevention:

P260 Do not breathe dust, fume, gas, mist, vapours and spray.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical advice if you feel unwell.

Storage

None.

Disposal:

P501 Contents handling to approved waste treatment plants.

CAS# 7440-66-6

Classification according to GHS

Serious eye damage/eye irritation (2B)

Hazardous to the aquatic environment, long-term hazard (1)

Label elements

Hazard pictogram(s):



Signal word:

Warning

Hazard statement(s):

H320 Causes eye irritation

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s):

Prevention:

P264 Wash skin and clothing thoroughly after handling.

P273 Avoid release to the environment.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P391 Collect spillage.

Storage

None

新疆实验室: (0991)6684186 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 厦门实验室: (0592)5568048

谱尼测试集团深圳有限公司 深圳市南山区创业路中兴工业城六栋一层





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 3 of 10

Disposal:

P501 Contents handling to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

Section 3 - Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Manganese dioxide	1313-13-9	215-202-6	62
Zinc	7440-66-6	231-175-3	18
Plastic	<u> </u>		5
Paper			10
Water	7732-18-5	231-791-2	5

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders:

天津实验室: (022) 27360730 大连实验室: (0411) 84650820 杭州实验室: (0571) 87219096 武汉实验室: (027) 83997127 新疆实验室: (0991) 6684186 郑州实验室: (0371) 69350670 苏州实验室: (0512) 62997900 厦门实验室: (0592) 5568048

谱尼测试集团深圳有限公司

深圳市南山区创业路中兴工业城六栋一层





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 4 of 10

No data available.

Most important symptoms/effects, acute and delayed:

No data available.

Indication of immediate medical attention and special treatment needed:

No data available.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO2.

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Protective equipment:

No data available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental

Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

深圳市南山区创业路中兴工业城六栋一层

天津实验室: (022)27360730 大连实验室: (0411)84650820 杭州实验室: (0571)87219096 武汉实验室: (027)83997127

新疆实验室: (0991) 6684186 郑州实验室: (0371) 69350670 苏州实验室: (0512) 62997900 厦门实验室: (0592) 5568048





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 5 of 10

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No data available.

Section 8 - Exposure Controls/Personal Protection

Control parameters

CAS No. ACGIH		NIOSH	OSHA	
1313-13-9	TLV-TWA 0.2mg/m ³	N/A	N/A	
7440-66-6	N/A	N/A	N/A	
7732-18-5	N/A	N/A	N/A	

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory

Testing International Group

www.ponytest.com

CHotline 400-819-5688

青岛实验室: (0532)88706866 哈尔滨实验室: (0451)88104651 宁波实验室: (0574)87736499 广州实验室: (020)89224310

天津实验室: (022) 27360730 大连实验室: (0411) 84650820 杭州实验室: (0571) 87219096 武汉实验室: (027) 83997127 新疆实验室: (0991) 6684186 郑州实验室: (0371) 69350670 苏州实验室: (0512) 62997900 厦门实验室: (0592) 5568048





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 6 of 10

system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

General information

Flammability (solid, gas):

Blue and silver. Appearance:

Form: Cylindrical.

Odour: Not available.

Not available. Odour threshold:

Not available. pH:

Not available. Melting point/freezing point:

Initial boiling point and boiling range: Not available. Flash Point: Not available.

Not available. **Evaporation rate:**

Not available.

Not available. Explosion Limits (vol% in air):

Vapour pressure, kPa at 20°C: Not available.

Not available. Vapor density:

Not available.

Density/Relative density (water = 1): Not available. Solubility(ies):

Not available. Partition coefficient: n-octanol/water:

Not available. Auto-ignition temperature:

Not available. Decomposition temperature:

Not available. Viscosity:

Other information:

Voltage 1.5V





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 7 of 10

Section 10 - Stability and Reactivity

Reactivity: No data available. Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50		
1313-13-9	LD50 Rat (oral): 11710 mg/kg		
7440-66-6	LD50 Rat (oral): >2000mg/kg		
7732-18-5	No data available.		

Skin irritation/corrosion:

Eve danage/irritation: No data available.

Respiratory or Skin sensitisation: No data available. Reproductive Cell Mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive Toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available. Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Potential Health Effects: No data available.

Inhalation: No data available. Skin contact: No data available. Eye contact: No data available. Ingestion: No data available.

Section 12 - Ecological Information

Ecological Toxicity: CAS# 7440-66-6

ErC50: 0.15 mg/L - Algae (Pseudokirchneriella subcapitata)- 72h





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 8 of 10

Persistence and degradability: No data available. Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information

UN Number	
IATA, IMDG, Model Regulation	N/A
UN Proper shipping name	
IATA, IMDG, Model Regulation	N/A
Transport hazard class(es)	
IATA, IMDG, Model Regulation	N/A
Packing group	
IATA, IMDG, Model Regulation	N/A
Packaging Sign	
IATA, IMDG, Model Regulation	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.

Transport information: OMASA DRY BATTERY R03P AAA is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 57th, IATA Special Provisions A123, International Martine Dangerous Goods Regulations (IMDG) (37-14), or the « Recommendations on the Transport of Dangerous Goods Model Regulations (19th).





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 9 of 10

S.P.A123 This entry applies to Batteries, electric storage, not otherwise listed in Subsection 4.2-List of Dangerous Goods. Examples of such batteries are: alkali-manganese, zinc-carbon and nickel-cadmium batteries. Any electrical battery or battery powered device, equipment or vehicle having the potential of a dangerous evolution of heat must be prepared for transport so as to prevent

- (a) a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or, in the case of equipment, by disconnection of the battery and protection of exposed terminals); and
- (b) accidental activation

The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
1313-13-9	Listed	Listed	Listed DSL	Listed
7440-66-6	Listed	Listed	Listed DSL	Listed
7732-18-5	Listed	Listed	Listed DSL	Listed

Section 16 - Other Information

Issue Time: 2016-08-26

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

天津实验室: (022)27360730 大连实验室: (0411)84650820 杭州实验室: (0571)87219096 武汉实验室: (027)83997127

谱尼测试集团深圳有限公司 深圳市南山区创业路中兴工业城六栋一层





Report No.: MDI4QQ6U204107A16 Date: 08.26.2016 Page 10 of 10

exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average);

PC-TWA: (Permissible concentration-short time exposure limit);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model

Regulations);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)

End of report